KEY BENEFITS OF PAINT PROTECTION FILM





Virtually invisible with a smooth and glossy finish to match OEM paint

Ð

D

Self-healing clear coat finish is resistant to cracks and staining

Helps provide year-round protection against scratches and nicks from stones, road debris, winter salt and sand

Helps to protect door edges from potential chipped paint & scrapes



Helps safeguard investment by protecting vehicles appearance to keep it looking new longer

SELF-HEALING CLEAR COAT



Self-healing occurs with application of moderate heat to the film (32° - 40° C). This can be induced by:



Leaving the car out in the sun




Engine heat



COMMON COVERAGE AREAS





Paint Protection Film can be applied to any painted surface on the vehicle

Can be offered in set packages or customized to fit the client's needs & budget

WARRANTY & CARE INSTRUCTIONS



Manufacturer's limited warranty*

- LLumar Paint Protection Film is warranted against cracking and bubbling**
- Intended for use only on original OEM vehicle paint
- Only covers professionally installed film
- Does not cover repainting of the vehicle***
- Warranty is void if vehicle is used on a race track



Recommended care for LLumar Paint Protection Film

Allow a minimum of three days following installation for film to cure before washing or waxing

Following the initial three-day period, frequent washing and waxing is recommended. Avoid pressure washing for 30 days following installation

The film takes 30 days to fully cure and there may be some haze or condensation during this period

ΕΛSTΜΛΝ

*Certain restrictions apply; see authorised dealer for warranty details. **Only when caused solely by defects in manufacture or materials. ***Irrespective of the reason for removal. © 2019 Eastman Performance Films, LLC. Product brands referenced herein with a ™ or ® symbol are trademarks of Eastman Chemical Company or its subsidiaries. All other trademarks are the property of their respective owners. Visual renderings are for illustrative purposes only; actual appearance of windows treated with film may vary. All rights reserved. No liability is accepted for errors. 01/19